




ZGB37REE



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	24V	24V
马达型号 Motor Model	50EE	30EE	50EE	30EE	30EE
减速比 Reduction Ratio	1/111	1/31	1/31	1/95	1/31
齿轮箱长度 Gearbox Length(mm)	26.5	24.5	24.5	26.5	24.5
空载转速 No-Load Speed(Rpm)	45	100	150	30	100
额定转速 Rated Speed(Rpm)	31.5	70	105	21	70
额定力矩 Rated Torque(Kg.cm)	10.5	4.1	3.5	6.01	1.82
额定电流 Rated Current(Amp)	1.5	0.76	1.5	0.31	0.31

ZGA42RG




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	24V	24V	24V	24V
马达型号 Motor Model	50G	50G	50G	50G	50G	50G	50G	50G
减速比 Reduction Ratio	1/16.4	1/44	1/117	1/311	1/16.4	1/44	1/117	1/311
齿轮箱长度 Gearbox Length(mm)	26	26	30	33	26	26	30	33
空载转速 No-Load Speed(Rpm)	300	110	40	15	300	110	40	15
额定转速 Rated Speed(Rpm)	210	77	8	10.5	210	77	28	105
额定力矩 Rated Torque(Kg.cm)	0.95	2.55	7.5	20	1.08	2.90	7.32	20
额定电流 Rated Current(Amp)	1.1	1.1	1.1	1.1	0.36	0.36	0.36	0.36

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我司以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGB42RG



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	24V	24V	24V
马达型号 Motor Model	50G	50G	50G	50E	50G	50G	50G
减速比 Reduction Ratio	1/23	1/62	1/166	1/442	1/23	1/62	1/166
齿轮箱长度 Gearbox Length(mm)	25.7	25.7	29.5	32.5	25.7	25.7	29.5
空载转速 No-Load Speed(Rpm)	210	80	30	11	210	80	30
额定转速 Rated Speed(Rpm)	147	56	21	7.5	147	56	21
额定力矩 Rated Torque(Kg.cm)	1.6	4.2	11.3	20	2.05	5.4	14.4
额定电流 Rated Current(Amp)	1.1	1.1	1.1	1.1	0.36	0.36	0.36

ZGA42RE




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	24V	24V	24V
马达型号 Motor Model	50E	50E	50E	50E	30E	30E	38E
减速比 Reduction Ratio	1/16	1/44	1/117	1/311	1/16	1/44	1/117
齿轮箱长度 Gearbox Length(mm)	26	26	30	33	26	26	30
空载转速 No-Load Speed(Rpm)	305	114	43	16	183	68	26
额定转速 Rated Speed(Rpm)	232	86	32	12	139	52	19
额定力矩 Rated Torque(Kg.cm)	1.24	3.33	8.40	21.22	2.39	6.41	16.20
额定电流 Rated Current(Amp)	0.76	0.76	0.76	0.76	0.27	0.27	0.27

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGB42RE



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	24V	24V	24V
马达型号 Motor Model	50E	50E	50E	50E	30E	30E	30E
减速比 Reduction Ratio	1/23	1/62	1/166	1/442	1/23	1/62	1/166
齿轮箱长度 Gearbox Length(mm)	27	28	30	33	27	28	30
空载转速 No-Load Speed(Rpm)	217	81	30	11	130	48	18
额定转速 Rated Speed(Rpm)	165	61	23	9	99	37	14
额定力矩 Rated Torque(Kg.cm)	1.74	4.46	11.33	28.67	3.36	9.06	21.83
额定电流 Rated Current(Amp)	0.76	0.76	0.76	0.76	0.27	0.27	0.27

ZGA42R-38SRZ-1





■技术参数 Technical Data

电压 Voltage(VDC)	12V	24V
马达型号 Motor Model	55-38SRZ-1	55-38SRZ-1
减速比 Reduction Ratio	1/44	1/44
齿轮箱长度 Gearbox Length(mm)	25.7	25.7
空载转速 No-Load Speed(Rpm)	100	100
额定转速 Rated Speed(Rpm)	70	70
额定力矩 Rated Torque(Kg.cm)	11	13.1
额定电流 Rated Current(Amp)	2.3	1.2

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我司以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.



ZGB42REE



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	24V
马达型号 Motor Model	20EE	20EE	45EE
减速比 Reduction Ratio	1/62	1/31	1/62
齿轮箱长度 Gearbox Length(mm)	25.7	25.7	25.7
空载转速 No-Load Speed(Rpm)	30	60	70
额定转速 Rated Speed(Rpm)	21	42	42
额定力矩 Rated Torque(Kg.cm)	3.5	1.76	13.6
额定电流 Rated Current(Amp)	0.31	0.31	1.12

ZGA42RH




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	24V	24V
马达型号 Motor Model	18H	37H	53H	75H
减速比 Reduction Ratio	1/158	1/158	1/59	1/59
齿轮箱长度 Gearbox Length(mm)	32.5	32.5	29.5	29.5
空载转速 No-Load Speed(Rpm)	10	20	80	120
额定转速 Rated Speed(Rpm)	7	14	56	84
额定力矩 Rated Torque(Kg.cm)	10.3	35	15.7	15
额定电流 Rated Current(Amp)	0.37	0.76	1.48	1.93

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGB42RH



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	24V	24V
马达型号 Motor Model	18H	100H	37H	37H
减速比 Reduction Ratio	1/184	1/31	1/184	1/31
齿轮箱长度 Gearbox Length(mm)	29.5	25.7	29.5	25.7
空载转速 No-Load Speed(Rpm)	10	322	20	120
额定转速 Rated Speed(Rpm)	7	225	14	84
额定力矩 Rated Torque(Kg.cm)	20	8.6	12	1.6
额定电流 Rated Current(Amp)	0.64	4.3	0.93	0.93

ZGA60RE-G





■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V
马达型号 Motor Model	55E	55E	55E
减速比 Reduction Ratio	1/350	1/68	1/101
齿轮箱长度 Gearbox Length(mm)	36.5	32.5	32.5
空载转速 No-Load Speed(Rpm)	14	80	55
额定转速 Rated Speed(Rpm)	9.8	56	38.5
额定力矩 Rated Torque(Kg.cm)	23	4.5	5.7
额定电流 Rated Current(Amp)	0.93	0.93	0.93

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我司以上规格产生变动, 请恕不再另行通知。

Remark: 1. If any specifications else you required are not listed above, Please contact us 2. The specifications are subject to change without notice.



ZGA60RH-G



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	24V	24V
马达型号 Motor Model	53H	53H	53H	37H	37H	37H
减速比 Reduction Ratio	1/350	1/101	1/68	1/101	1/225	1/101
齿轮箱长度 Gearbox Length(mm)	36.5	32.5	32.5	32.5	36.5	32.5
空载转速 No-Load Speed(Rpm)	14	51	25	30	15	30
额定转速 Rated Speed(Rpm)	9.8	35.7	52.5	21	10.5	21
额定力矩 Rated Torque(Kg.cm)	30	13.8	9.5	20.3	30	21.6
额定电流 Rated Current(Amp)	2.1	2.1	2.1	1.4	0.93	0.93

ZGA60RM-G




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	12V	24V	24V	24V	24V	24V
马达型号 Motor Model	46M	35M	46M	46M	46M	46M	35M	46M	46M	46M
减速比 Reduction Ratio	1/334	1/101	1/101	1/68	1/31	1/334	1/101	1/101	1/68	1/31
齿轮箱长度 Gearbox Length(mm)	36.5	32.5	32.5	32.5	30	36.5	32.5	32.5	32.5	30
空载转速 No-Load Speed(Rpm)	13	35	45	60	150	13	35	45	60	150
额定转速 Rated Speed(Rpm)	9.1	24.5	31.5	42	105	9.1	24.5	31.5	42	105
额定力矩 Rated Torque(Kg.cm)	30	25	25	18.75	8.5	30	30	30	30	17
额定电流 Rated Current(Amp)	2.31	1.7	2.31	2.31	2.31	1.5	1.4	1.5	1.5	1.5

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGA60RHH-G



■技术参数 Technical Data

电压 Voltage(VDC)	24V	24V
马达型号 Motor Model	40HH	40HH
减速比 Reduction Ratio	1/31	1/101
齿轮箱长度 Gearbox Length(mm)	30	32.5
空载转速 No-Load Speed(Rpm)	130	40
额定转速 Rated Speed(Rpm)	91	28
额定力矩 Rated Torque(Kg.cm)	27	30
额定电流 Rated Current(Amp)	2.5	2.5

ZGA37FB




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	12V
马达型号 Motor Model	70B	70B	70B	70B	70B
减速比 Reduction Ratio	1/438	1/267	1/188	1/104	1/40
齿轮箱长度 Gearbox Length(mm)	30.5	29.5	29.5	26.5	24.5
空载转速 No-Load Speed(Rpm)	15	20	35	65	170
额定转速 Rated Speed(Rpm)	10.5	14	24.5	45.5	119
额定力矩 Rated Torque(Kg.cm)	9.5	7.1	4	2.1	0.83
额定电流 Rated Current(Amp)	0.49	0.49	0.49	0.49	0.49

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我司以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGB37FB



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	12V
马达型号 Motor Model	70B	70B	70B	70B	70B
减速比 Reduction Ratio	1/417	1/242	1/162	1/104	1/63.5
齿轮箱长度 Gearbox Length(mm)	32.5	32.5	29.5	29.5	29.5
空载转速 No-Load Speed(Rpm)	16	25	40	65	110
额定转速 Rated Speed(Rpm)	11.2	17.5	28	45.5	77
额定力矩 Rated Torque(Kg.cm)	9.3	7.05	3.87	2.1	0.95
额定电流 Rated Current(Amp)	0.49	0.49	0.49	0.49	0.49

ZGA37FG




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	12V	24V	24V	24V	24V	24V
马达型号 Motor Model	17G	50G	50G	50G	35G	35G	50G	50G	50G	50G
减速比 Reduction Ratio	1/267	1/242	1/188	1/104	1/34.5	1/686	1/242	1/188	1/104	1/40
齿轮箱长度 Gearbox Length(mm)	29.5	29.5	29.5	26.5	24.5	30.5	29.5	29.5	26.5	24.5
空载转速 No-Load Speed(Rpm)	5	20	30	50	100	5	20	30	50	120
额定转速 Rated Speed(Rpm)	3.5	14	21	35	70	3.5	14	21	35	84
额定力矩 Rated Torque(Kg.cm)	7.19	15	14	8.8	4.5	15	15	10.5	6.3	3.95
额定电流 Rated Current(Amp)	0.16	1.1	1.1	1.1	1.1	0.25	0.36	0.36	0.36	0.36

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGB37FG



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	12V	24V	24V	24V	24V	24V
马达型号 Motor Model	25G	50G	50G	50G	50G	35G	50G	50G	50G	50G
减速比 Reduction Ratio	1/467	1/242	1/162	1/104	1/63.5	1/417	1/242	1/162	1/104	1/63.5
齿轮箱长度 Gearbox Length(mm)	32.5	32.5	29.5	29.5	29.5	32.5	32.5	29.5	29.5	29.5
空载转速 No-Load Speed(Rpm)	5	20	30	50	75	8	20	30	50	75
额定转速 Rated Speed(Rpm)	3.5	14	21	35	52.5	5.6	14	21	35	52.5
额定力矩 Rated Torque(Kg.cm)	15	15	13.1	7.2	4.5	13	12.9	9.4	4.95	5.1
额定电流 Rated Current(Amp)	0.18	0.92	0.92	0.92	0.92	0.25	0.33	0.33	0.33	0.33

ZGA37FE




■技术参数 Technical Data

电压 Voltage(VDC)	12V	24V	24V
马达型号 Motor Model	40E	50E	40E
减速比 Reduction Ratio	1/267	1/188	1/31.6
齿轮箱长度 Gearbox Length(mm)	29.5	29.5	24.5
空载转速 No-Load Speed(Rpm)	15	27	120
额定转速 Rated Speed(Rpm)	10.5	18.9	84
额定力矩 Rated Torque(Kg.cm)	13.6	7.8	3.5
额定电流 Rated Current(Amp)	0.67	0.51	0.45

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGB37FE



■技术参数 Technical Data

电压 Voltage(VDC)	12V	24V	24V	24V	24V
马达型号 Motor Model	35E	35E	30E	50E	45E
减速比 Reduction Ratio	1/417	1/242	1/162	1/104	1/63.5
齿轮箱长度 Gearbox Length(mm)	32.5	32.5	29.5	29.5	29.5
空载转速 No-Load Speed(Rpm)	8	15	18	45	70
额定转速 Rated Speed(Rpm)	5.6	10.5	13	31.5	49.6
额定力矩 Rated Torque(Kg.cm)	10.2	5.3	4.6	6.21	4.7
额定电流 Rated Current(Amp)	0.55	0.35	0.27	0.51	0.44

ZGA37FH




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	12V	24V	24V	24V	24V	24V
马达型号 Motor Model	30H	37H	53H	37H	53H	37H	37H	53H	37H	53H
减速比 Reduction Ratio	1/308	1/139	1/139	1/60	1/26	1/308	1/139	1/139	1/60	1/26
齿轮箱长度 Gearbox Length(mm)	32.5	29.5	29.5	26.5	24.5	32.5	29.5	29.5	26.5	24.5
空载转速 No-Load Speed(Rpm)	10	25	40	60	200	10	25	40	60	200
额定转速 Rated Speed(Rpm)	7	17.5	28	42	140	7	17.5	28	42	140
额定力矩 Rated Torque(Kg.cm)	15	15	15	5.8	6.5	15	15	15	10.7	8.9
额定电流 Rated Current(Amp)	1.4	1.4	2.1	1.4	2.1	0.85	0.93	1.48	0.93	1.48

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGB37FH



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	24V	24V	24V	24V
马达型号 Motor Model	37H	37H	37H	53H	37H	37H	37H	53H
减速比 Reduction Ratio	1/417	1/242	1/162	1/104	1/417	1/242	1/162	1/104
齿轮箱长度 Gearbox Length(mm)	32.5	32.5	29.5	29.5	32.5	32.5	29.5	29.5
空载转速 No-Load Speed(Rpm)	8	15	20	50	8	15	20	50
额定转速 Rated Speed(Rpm)	5.6	10.7	15	35	5.6	10.7	15	35
额定力矩 Rated Torque(Kg.cm)	15	15	14.5	15	15	15	15	15
额定电流 Rated Current(Amp)	1.4	1.4	1.4	2.1	0.93	0.93	0.93	1.48

ZGA37FEE




■技术参数 Technical Data

电压 Voltage(VDC)	24V	24V	24V
马达型号 Motor Model	30EE	30EE	30EE
减速比 Reduction Ratio	1/139	1/60	1/31.6
齿轮箱长度 Gearbox Length(mm)	29.5	26.5	24.5
空载转速 No-Load Speed(Rpm)	20	50	95
额定转速 Rated Speed(Rpm)	14	35	66.5
额定力矩 Rated Torque(Kg.cm)	9.03	5.75	2.85
额定电流 Rated Current(Amp)	0.31	0.31	0.31

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我们以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGB37FEE



■技术参数 Technical Data

电压 Voltage(VDC)	24V	24V	24V
马达型号 Motor Model	30EE	30EE	30EE
减速比 Reduction Ratio	1/417	1/242	1/162
齿轮箱长度 Gearbox Length(mm)	32.5	32.5	29.5
空载转速 No-Load Speed(Rpm)	7	12	18
额定转速 Rated Speed(Rpm)	4.9	8.6	13
额定力矩 Rated Torque(Kg.cm)	15	12.9	9.5
额定电流 Rated Current(Amp)	0.31	0.31	0.31

ZGA42FG




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	24V	24V	24V	24V
马达型号 Motor Model	50G	50G	50G	50G	50G	50G	50G	50G
减速比 Reduction Ratio	1/16.4	1/44	1/117	1/311	1/16.4	1/44	1/117	1/311
齿轮箱长度 Gearbox Length(mm)	26	26	30	33	26	26	30	33
空载转速 No-Load Speed(Rpm)	300	110	40	15	300	110	40	15
额定转速 Rated Speed(Rpm)	210	77	28	10.5	210	77	28	10.5
额定力矩 Rated Torque(Kg.cm)	0.95	2.55	7.5	20	1.08	2.90	7.32	20
额定电流 Rated Current(Amp)	1.1	1.1	1.1	1.1	0.36	0.36	0.36	0.36

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我司以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGA42FE



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	24V	24V	24V
马达型号 Motor Model	50E	50E	50E	50E	30E	30E	30E
减速比 Reduction Ratio	1/16	1/44	1/117	1/311	1/16	1/44	1/117
齿轮箱长度 Gearbox Length(mm)	26	26	30	33	26	26	30
空载转速 No-Load Speed(Rpm)	305	114	43	16	183	68	26
额定转速 Rated Speed(Rpm)	232	86	32	12	139	52	19
额定力矩 Rated Torque(Kg.cm)	1.24	3.33	8.40	21.22	2.39	6.41	16.20
额定电流 Rated Current(Amp)	0.76	0.76	0.76	0.76	0.27	0.27	0.27

ZGB42FE




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	24V	24V	24V
马达型号 Motor Model	50E	50E	50E	50E	30E	30E	30E
减速比 Reduction Ratio	1/23	1/62	1/166	1/442	1/23	1/62	1/166
齿轮箱长度 Gearbox Length(mm)	27	28	30	33	27	28	30
空载转速 No-Load Speed(Rpm)	217	81	30	11	130	48	18
额定转速 Rated Speed(Rpm)	165	61	23	9	99	37	14
额定力矩 Rated Torque(Kg.cm)	1.74	4.46	11.33	28.67	3.36	9.06	21.83
额定电流 Rated Current(Amp)	0.76	0.76	0.76	0.76	0.27	0.27	0.27

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGA42F-38SRZ-1



■技术参数 Technical Data

电压 Voltage(VDC)	12V	24V
马达型号 Motor Model	55-38SRZ-1	55-38SRZ-1
减速比 Reduction Ratio	1/44	1/44
齿轮箱长度 Gearbox Length(mm)	25.7	25.7
空载转速 No-Load Speed(Rpm)	100	100
额定转速 Rated Speed(Rpm)	70	70
额定力矩 Rated Torque(Kg.cm)	11	13.1
额定电流 Rated Current(Amp)	2.3	1.2

ZGB42FEE




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	24V
马达型号 Motor Model	20EE	20EE	45EE
减速比 Reduction Ratio	1/62	1/31	1/62
齿轮箱长度 Gearbox Length(mm)	25.7	25.7	25.7
空载转速 No-Load Speed(Rpm)	30	60	70
额定转速 Rated Speed(Rpm)	21	42	42
额定力矩 Rated Torque(Kg.cm)	3.5	1.76	13.6
额定电流 Rated Current(Amp)	0.31	0.31	1.12

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGA42FH



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	24V	24V
马达型号 Motor Model	18H	37H	53H	75H
减速比 Reduction Ratio	1/158	1/158	1/59	1/59
齿轮箱长度 Gearbox Length(mm)	32.5	32.5	29.5	29.5
空载转速 No-Load Speed(Rpm)	10	20	80	120
额定转速 Rated Speed(Rpm)	7	14	56	84
额定力矩 Rated Torque(Kg.cm)	10.3	35	15.7	15
额定电流 Rated Current(Amp)	0.37	0.76	1.48	1.93

ZGB42FH




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	24V	24V
马达型号 Motor Model	18H	100H	37H	37H
减速比 Reduction Ratio	1/184	1/31	1/184	1/31
齿轮箱长度 Gearbox Length(mm)	29.5	25.7	29.5	25.7
空载转速 No-Load Speed(Rpm)	10	322	20	120
额定转速 Rated Speed(Rpm)	7	225	14	84
额定力矩 Rated Torque(Kg.cm)	20	8.6	12	1.6
额定电流 Rated Current(Amp)	0.64	4.3	0.93	0.93

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGA60FE-G



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V
马达型号 Motor Model	55E	55E	55E
减速比 Reduction Ratio	1/350	1/101	1/68
齿轮箱长度 Gearbox Length(mm)	36.5	32.5	32.5
空载转速 No-Load Speed(Rpm)	14	55	80
额定转速 Rated Speed(Rpm)	9.8	58.5	56
额定力矩 Rated Torque(Kg.cm)	23	4.5	5.7
额定电流 Rated Current(Amp)	0.93	0.93	0.93

ZGB60FE-G




■技术参数 Technical Data

电压 Voltage(VDC)	12V	24V
马达型号 Motor Model	45E	35E
减速比 Reduction Ratio	1/205	1/205
齿轮箱长度 Gearbox Length(mm)	36.5	36.5
空载转速 No-Load Speed(Rpm)	20	15
额定转速 Rated Speed(Rpm)	14	10.5
额定力矩 Rated Torque(Kg.cm)	30	30
额定电流 Rated Current(Amp)	1.2	0.9

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我司以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGA60FH-G



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	24V	24V
马达型号 Motor Model	53H	53H	53H	37H	37H	37H
减速比 Reduction Ratio	1/350	1/101	1/68	1/101	1/225	1/101
齿轮箱长度 Gearbox Length(mm)	36.5	32.5	32.5	32.5	36.5	32.5
空载转速 No-Load Speed(Rpm)	14	51	25	30	15	30
额定转速 Rated Speed(Rpm)	9.8	35.7	52.5	21	10.5	21
额定力矩 Rated Torque(Kg.cm)	30	13.8	9.5	20.3	30	21.6
额定电流 Rated Current(Amp)	2.1	2.1	2.1	1.4	0.93	0.93

ZGB60FH-G




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	24V	24V
马达型号 Motor Model	53H	53H	53H	53H
减速比 Reduction Ratio	1/257	1/92	1/303	1/257
齿轮箱长度 Gearbox Length(mm)	36.5	32.5	36.5	36.5
空载转速 No-Load Speed(Rpm)	20	50	15	21
额定转速 Rated Speed(Rpm)	14	35	10.5	14.7
额定力矩 Rated Torque(Kg.cm)	30	12.5	30	30
额定电流 Rated Current(Amp)	2.1	2.1	1.48	1.48

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我司以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGA60FM-G



■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	12V	12V	24V	24V	24V	24V	24V
马达型号 Motor Model	46M	35M	46M	46M	46M	46M	35M	46M	46M	46M
减速比 Reduction Ratio	1/334	1/101	1/101	1/68	1/31	1/334	1/101	1/101	1/68	1/31
齿轮箱长度 Gearbox Length(mm)	36.5	32.5	32.5	32.5	30	36.5	32.5	32.5	32.5	30
空载转速 No-Load Speed(Rpm)	13	35	45	60	150	13	35	45	60	150
额定转速 Rated Speed(Rpm)	9.1	24.5	31.5	42	105	9.1	24.5	39.5	42	105
额定力矩 Rated Torque(Kg.cm)	30	25	25	18.75	8.5	30	30	30	30	17
额定电流 Rated Current(Amp)	2.31	1.7	2.31	2.31	2.31	1.5	1.4	1.5	1.5	1.5

ZGB60FM-G




■技术参数 Technical Data

电压 Voltage(VDC)	12V	12V	12V	24V	24V	24V	24V
马达型号 Motor Model	35M	46M	35M	35M	35M	46M	46M
减速比 Reduction Ratio	1/62	1/78	1/303	1/204	1/62	1/27.5	1/23.6
齿轮箱长度 Gearbox Length(mm)	32.5	32.5	36.5	36.5	32.5	30	30
空载转速 No-Load Speed(Rpm)	50	60	10	15	60	160	180
额定转速 Rated Speed(Rpm)	35	42	7	10.5	42	112	126
额定力矩 Rated Torque(Kg.cm)	22.7	19.3	50	30	20.8	18.7	18.5
额定电流 Rated Current(Amp)	1.7	2.31	1.7	1.4	1.4	1.5	1.5

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我司以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGA60FHH-G



■技术参数 Technical Data

电压 Voltage(VDC)	12V	24V
马达型号 Motor Model	40HH	40HH
减速比 Reduction Ratio	1/105	1/31
齿轮箱长度 Gearbox Length(mm)	36.5	30
空载转速 No-Load Speed(Rpm)	40	130
额定转速 Rated Speed(Rpm)	28	91
额定力矩 Rated Torque(Kg.cm)	30	27
额定电流 Rated Current(Amp)	2.5	2.5

ZGB60FHH-G




■技术参数 Technical Data

电压 Voltage(VDC)	24V	24V
马达型号 Motor Model	45HH	45HH
减速比 Reduction Ratio	1/78	1/23.6
齿轮箱长度 Gearbox Length(mm)	32.5	30
空载转速 No-Load Speed(Rpm)	55	180
额定转速 Rated Speed(Rpm)	40	126
额定力矩 Rated Torque(Kg.cm)	30	12
额定电流 Rated Current(Amp)	1.4	1.4

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGB60R-45SRZ-8W



■技术参数 Technical Data

电压 Voltage(VDC)	24V	24V	24V	24V	24V	24V
电机转速 Motor Speed	2500	2500	2500	2500	2500	2500
减速比 Reduction Ratio	1/180	1/120	1/90	1/60	1/40	1/20
齿轮箱长度 Gearbox Length(mm)	42	42	42	42	42	42
空载转速 No-Load Speed(Rpm)	13	20	25	40	60	120
额定转速 Rated Speed(Rpm)	9.1	14	17.5	28	42	84
额定力矩 Rated Torque(Kg.cm)	30	30	30	19	12.6	7.2
额定电流 Rated Current(Amp)	0.57	0.57	0.57	0.57	0.57	0.57

ZGB60R-50SRZ-1-15W




■技术参数 Technical Data

电压 Voltage(VDC)	24V	24V	24V	24V	24V	24V
电机转速 Motor Speed	2000	2000	2000	2000	2000	2000
减速比 Reduction Ratio	1/180	1/120	1/90	1/60	1/40	1/20
齿轮箱长度 Gearbox Length(mm)	42	42	42	42	42	42
空载转速 No-Load Speed(Rpm)	10	16	20	30	50	100
额定转速 Rated Speed(Rpm)	7	11	14	21	35	70
额定力矩 Rated Torque(Kg.cm)	30	30	30	25.5	15.3	7.9
额定电流 Rated Current(Amp)	0.70	0.70	0.70	0.70	0.70	0.70

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGB60R-60SRZ-1-25W



■技术参数 Technical Data

电压 Voltage(VDC)	24V	24V	24V	24V	24V	24V
电机转速 Motor Speed	2000	2000	2000	2000	2000	2000
减速比 Reduction Ratio	1/180	1/120	1/90	1/60	1/40	1/20
齿轮箱长度 Gearbox Length(mm)	42	42	42	42	42	42
空载转速 No-Load Speed(Rpm)	10	16	20	30	50	100
额定转速 Rated Speed(Rpm)	7	11	14	21	35	70
额定力矩 Rated Torque(Kg.cm)	30	30	30	30	28	15
额定电流 Rated Current(Amp)	1.00	1.00	1.00	1.00	1.00	1.00

ZGB70R-60SRZ-1-36W




■技术参数 Technical Data

电压 Voltage(VDC)	24V	24V	24V	24V	24V	24V
电机转速 Motor Speed	2000	2000	2000	2000	2000	2000
减速比 Reduction Ratio	1/180	1/120	1/90	1/60	1/40	1/20
齿轮箱长度 Gearbox Length(mm)	42	42	42	42	42	42
空载转速 No-Load Speed(Rpm)	10	16	20	30	50	100
额定转速 Rated Speed(Rpm)	7	11	14	21	35	20
额定力矩 Rated Torque(Kg.cm)	49	49	49	49	38	20
额定电流 Rated Current(Amp)	1.4	1.4	1.4	1.4	1.4	1.4

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.


ZGB80R-80SRZ-60W



■技术参数 Technical Data

电压 Voltage(VDC)	24V	24V	24V	24V	24V
电机转速 Motor Speed	2000	2000	2000	2000	2000
减速比 Reduction Ratio	1/180	1/120	1/90	1/60	1/40
齿轮箱长度 Gearbox Length(mm)	49	49	49	49	49
空载转速 No-Load Speed(Rpm)	10	16	20	30	50
额定转速 Rated Speed(Rpm)	7	11	14	21	35
额定力矩 Rated Torque(Kg.cm)	78	78	78	78	65
额定电流 Rated Current(Amp)	2.2	2.2	2.20	2.20	2.20

ZGB90R-80SRZ-1-90W



■技术参数 Technical Data

电压 Voltage(VDC)	24V	24V	24V	24V	24V	24V
电机转速 Motor Speed	2000	2000	2000	2000	2000	2000
减速比 Reduction Ratio	1/180	1/120	1/90	1/60	1/40	1/20
齿轮箱长度 Gearbox Length(mm)	60	60	60	60	60	60
空载转速 No-Load Speed(Rpm)	10	16	20	30	50	100
额定转速 Rated Speed(Rpm)	7	11	14	21	35	70
额定力矩 Rated Torque(Kg.cm)	98	98	98	98	98	45
额定电流 Rated Current(Amp)	2.7	2.7	2.7	2.7	2.7	2.7

★备注: 1.若需要其它规格, 敬请来电联系 2.如若我司以上规格产生变动, 请恕不再另行通知。

Remark: 1.If any specifications else you required are not listed above, Please contact us 2.The specifications are subject to change without notice.